

# **Safety Data Sheet (SDS)**

According to Commission Regulation (EU) 2020/2081 of 14 December 2020 amending Annex XVII to Regulation (EC) No 1907/2006 and REACH

VERSION 05 REVISION DATE 01.07.2022
BIOTEK srl Via R. Farneti 820129 Milano Italy P.I. 10911780152

| SECTION 1 - PRODUCT AND COMPANY IDENTIFICATION |  |  |  |  |
|--|--|--|--|--|
| Tradename                                      | BIOTEK   |  |  |  |
| Product name                                   | BERLIN   |  |  |  |
| Product code                                   | E15-03 18ml / E5-037ml   |  |  |  |
| Description                                    | Mixture for use in tattoos or permanent make-up  |  |  |  |
| Manufacturer                                   | BIOTEK srl Milano Via R. Farneti 8 Italy P.I. 10911780152                                      |  |  |  |
| Contact  | Phone +39.02.7380144 security@biotek.it  |  |  |  |
| Product use                                    | For exclusive PMU professional use   |  |  |  |
| Content  | 18ml 0.61 fl.oz / 7ml 0.24 fl.oz   |  |  |  |
| Emergency                                      | Contact the local poison center US 1 (800) 222-1222 American Association Poison Control Center |  |  |  |

#### **SECTION 2 - HAZARDS IDENTIFICATION**

# **Emergency Class**

This product is basically considered non-hazardous as per EC Regulationn.1272/2008 Product without risk classification to health and the environment according to CLP Regulation (CE) n.1272/2008.

Information applicable to the quantities normally used in accordance with the practice of the treatment and on the basis of tests performed.

## **SECTION 3 - COMPOSITION AND INGREDIENTS INFORMATION**

# **Mixtures General Information**

Concentrated dispersion of pigments in water solution of distilled water and glycerin. The components of this product are not listed in Annex 3.1/Regulation (CE) n.1272/2008 except ETHANOL CAS 64-17-5 EINECS 200-578-6



| Chemical<br>Identity               | CAS number                | INCI name                          | EU class<br>% | FDA<br>% | Exposure<br>OSHA | Limits<br>ACGIH | Classification<br>Annex 3.1<br>Reg. (CE)<br>1272/2008 |  |  |
|------------------------------------|---------------------------|------------------------------------|---------------|----------|------------------|-----------------|---|--|--|
| Liquid fraction (DI                | Liquid fraction (DILUENT) |                                    |               |          |                  |                 |   |  |  |
| Glycerin                           | 56-81-5                   | Glycerin                           | 25% - 50%     | В        | N/E              | N/E             | -   |  |  |
| Distilled water                    | 7732-18-5                 | Aqua                               | 25% - 50%     | В        | N/E              | N/E             | -   |  |  |
| Ethanol                            | 64-17-5                   | Alcohol                            | 10% - 25%     | С        | 1000ppm*         | 1000ppm         | H225<br>(flammable)                                   |  |  |
| Propylene<br>Glycol                | 57-55-6                   | Propylene Glycol                   | 1% - 5%       | Е        | N/E              | N/E             | -   |  |  |
| PVP                                | 9003-39-8                 | PVP                                | P.F.          | P.F.     | N/E              | N/E             | -   |  |  |
| Ricin Oil                          | 9083-41-4                 | Ricin Oil                          | P.F.          | P.F.     | N/E              | N/E             | -   |  |  |
| Aloe<br>Barbadensis                | 85507-69-3                | Aloe Barbadensis                   | P.F.          | P.F.     | N/E              | N/E             | -   |  |  |
| Hamamelis<br>Virginiana            | 84696-19-5                | Hamamelis<br>Virginiana            | P.F.          | P.F.     | N/E              | N/E             | -   |  |  |
| Polysorbate                        | 9005-64-5                 | Polysorbate 20                     | P.F.          | P.F.     | N/E              | N/E             | -   |  |  |
| Magnesium<br>Aluminium<br>Silicate | 1327-43-1                 | Magnesium<br>Aluminium<br>Silicate | P.F.          | P.F.     | N/E              | N/E             | -   |  |  |
| Solid fraction (PIGMENT)           |                           |                                    |               |          |                  |                 |   |  |  |
| Iron oxide black                   | 1317-61-9                 | 77499                              | P.F.          | P.F.     | N/E              | N/E             |   |  |  |
| Iron oxide red                     | 1309-37-1                 | 77491                              | P.F.          | P.F.     | N/E              | N/E             | -   |  |  |
| Iron oxide yellow                  | 51274-00-1                | 77492                              | P.F.          | P.F.     | N/E              | N/E             | -   |  |  |

N/E = NOT ESTABILISHED N/R = NOT REVIEWED N/DA = NO DATA AVAILABLE N/A = NOT AVAILABLE P.F. = PROPRIETARY FORMULA

Class % indicates the range of concentrations as per CPNP portal according to EC Regulation1223/2009

%FDA indicates the range as per the "Guide for Cosmetic Notification Form"-FDA /Health Canada The% are expressed according to the weight / volume ratio

FDA-codes:

A1 = 75 - 100 %A2 = 50 - 75 %B = 25 - 50 %C = 10 - 25 %D = 5 - 10 %E = 1 - 5 %F = 0.1 - 1 %G = < 0.1 - 1 %G = <

# **SECTION 4 - FIRST AID MEASURES**

No injuries to the authorized personnel are known using the product. No self-protection is needed. However, in case of need, you should take the following general measures and in the case of severe and not expected symptoms, consult a doctor.

First aid for Eye Flush with plenty of water for 15 minutes or use eyewash lotion. Seek medical

attention.

First aid for Skin First aid is not normally required, however, it is good practice for exposed area to

be cleaned with soap and water.

First aid for Inhalation Remove individual from the contact with substance and move to fresh air. Do not induce to vomiting. Flush mouth with water. Contact anti-poison First aid for Ingestion

centre. Seek medical advice.



<sup>\*</sup> Listed substance potentially hazardous as defined by OSHA Hazard Communication Standard (29 CFR1910.1200) OSHA in suspension in a gas if inhaled in excess of 1000ppm.

#### **SECTION 5 - FIRE FIGHTING MEASURE**

Special hazards arising from the substance or mixture: none known or to be expected.

FLASH POINT FLAMMABLE LIMIT AUTO IGNITION > 105° C NO DATA 425° C

The point of auto-ignition is dependent only on the component of alcohol

| Extinguishing | Use carbon dioxide (CO2) or dry chemical extinguisher        |  |
|---------------|--|--|
| Method        | or aqueous foam or water for large fires.                    |  |
| Instructions  | Use self-breathing device and personal protection equipment. |  |
| Prohibited    | None.  |  |



#### **SECTION 6 - ACCIDENTAL RELEASE MEASURE**

No harm expected. Wear appropriate equipment/clothing during clean-up.

In case of fire, extinguish the sources of ignition or heat. Cover the spillage with absorbent material (eg vermiculite), collect most of the resulting mass and discard the remainder by spraying water. If the product has escaped into a stream, into the drainage system, or has contaminated the ground or vegetation, notify the competent authorities. For waste disposal see additionally section 13.

#### **SECTION 7 - HANDLING AND STORAGE**

Do not eat, drink and/or smoke during handling. Clean already opened packages after usage. Follow the mandatory shelf life of the products before and after opening. Wash hands prior to use and follow local hygiene measures. Store sealed containers in a cool, dry place away from light and heat. Avoid direct exposure to the sun. The containers and empty containers can contain product residue and must be managed properly. Place the containers in such a way that the labels are clearly visible.

#### **SECTION 8 - EXPOSURE CONTROLS/PERSONAL PROTECTION**

No special precaution must be adopted for normal use.

Follow the techniques of good personal hygiene. Do not eat, drink or smoke while using the product. Precautionary measures Allow adequate ventilation to the premises where the product is stored and/ or

handled.

Eye /face Protection Use chemical splash goggles

Skin Protection Use protective gloves made of natural latex, neoprene, PVC vinyl or Nitrile.

Respiratory Protection Not needed for normal use

exposure limit for ethanol content, if inhaled by air is:

ACGIH-TLV 1000ppm- OSHA-PEL 1000ppm -TLV TWA 1000ppm -983mg/m3

Eye/face protection Wear safety goggles where there is risk of eye contact.

Skin protection Wear suitable gloves.

Respiratory protection Provide adequate ventilation.

## **SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES**

Appearance Creamy liquid

Odor Neutral to slightly alcoholic

Color Brown Ph 4,5 - 7,5

Solubility in water Diluent soluble in water at 20° C- Pigment insoluble.

Flammability Non flammable



#### **SECTION 10 - STABILITY AND REACTIVITY**

The product is stable in normal conditions of use and storage. We are not aware of specific conditions that may result in hazardous reactions. The product is non-reactive and does not polymerize. At temperatures above100° C it causes the evaporation of the liquid component of the product Incompatible substances are not identified. Do not allow the product to come into contact with acids, bases, oxidizing and reducing agents that can cause a dangerous reaction.

#### **SECTION 11 - TOXICOLOGICAL INFORMATION**

The product does not have any known toxic or comparable adverse effects on human health. Information on likely routes of exposure

Ingestion Ingestion may cause irritation and malaise.
Inhalation Inhalation may irritate respiratory system.
Skin contact No adverse effects known or expected.
Eye contact Direct contact may irritate the eyes.

## **SECTION 12 - ECOLOGICAL INFORMATION**

Environmental stability Use according to good working practices, avoiding disposal in the

environment. Inform the relevant authorities if the product in large

quantities, has reach water ways or sewers, and if it has contaminated soil

or vegetation.

Effects on plants and animals Not available. Effects on aquatic life Not available.

#### **SECTION 13 - DISPOSAL CONSIDERATION**

This product is not identified as a hazardous wasteunderRCRA40 CFR 261, and is not regulated by CERCLA (Superfund). Dispose of residual waste should be in accordance with local regulations.

#### **SECTION 14 -TRASPORTATION INFORMATION**

IMGD (maritime): not hazardous material ADR (road transport): not hazardous material RID (transport by rail): not hazardous material

IATA Regulation (transport by air): Not hazardous material Transport / Additional information: The product is not dangerous

#### **SECTION 15 - REGULATORY INFORMATION**

EC Directive 2020/2081 REACH and amendments

ECDirective1907/2006

 $\hbox{EU Regulation ResAp (2008) 1 on requirements and criteria for the safety of tattoos and } pmu$ 

TätowiermittelVerordung 13.11.2008

EC Directive 1272/2008/EC Classification, labeling and packaging of substances and mixtures

EC Regulation 453/2010

EC Directive 2008/128/CE Colors for use in foodstuffs

ECRegulationNo1223/2009 on Cosmetic Products

OSHA Hazard Communication Standard-non-hazardousunder29 CFR1910.1200



#### **SECTION 16 - OTHER INFORMATION**

Carefully follow the directions and recommendations of the MSDS.

Store in a cool place. Keep the original packing. Keep out of the reach of children.

The information and recommendations contained in this safety data sheet are based on data and sources believed to be accurate, and report the most reasonable and correct at time of preparation of the sheet. However, we do not grant any express or implied warranty as to the accuracy of the data or results obtained from the use of this product.

This data sheet gives the most important parameters and safety standards commonly accepted and cannot be considered an exhaustive document on the risks.

The information is provided in good faith and it is your responsibility to evaluate the correct conditions of use and applicable safety and environmental protection.

The company assumes no responsibility for personal injury and damage to persons and / or property damage caused by the product.

#### Instruction for use

Carefully follow the instructions on the label. The product is for professional use only. Avoid any use not expected by the manufacturer. Proper professional title of qualification is required for use.

To be used in combination with sterile/disposable accessories.

Do not reuse the product after having poured from the original container.

The professional must inform the customer about the message contained in the precautions and about the possible allergic reactions. Use prohibited for children under 18years.

#### **Label information**

Product Name Composition (INCI Nomination) Batch number Expiration Date (hourglass symbol)

Shelf life after opening product

#### **REFERENCES**

ResAP(2008)1 HSDB

U.S. Department of Health and Human Services -NTP NIOSH- Registry of Toxic Effects of Chemicals Substances SAX-Dangerous Properties of Industrial Materials



# **DEFINITIONS OF TERMS AND LABELS**

On the MSDS sheet appears many abbreviations, acronyms and labels. Some of the most used are listed below:

| CAS No | •   | Chemical Abstract Service Number   |   |  |  |  |
|--------|---|------------------------------------|---|--|--|--|
| EXPOSI | JRE THR   | ESHOLD IN AIR                      | Health Hazard  4 Deadly                           | Flash Points Fire Hazard  4 Below 73 F                                   |  |  |
| ACGIH  | American Conference Gov.Ind.Hygienists                        |                                    | 3 Extreme Danger 2 Hazardous 1 Slightly Hazardous | 3 Below 100 'F<br>2 Between 100 'F and 200 F<br>1 Above 200 'F           |  |  |
| TLV    | Threshold Limit Value   |                                    | Normal Material                                   | 4 0 Will Not Burn  |  |  |
| OSHA   | Occupa  | ition Safety Health Administration | Specific Hazard  ACID - Acid                      | ACID 4 May Detonate  |  |  |
| PEL    | Permis  | sible Exposure Limit               | ALK - Alkali  COR - Corrosive  OXY - Oxidizer     | 3 Shock/Heat May Detonate 2 Violent Chemical Change 1 Unstable If Heated |  |  |
| IDLH   | Immed   | iately Dangerous Life and Health   | - Radioactive - Use No Water                      | ① Stable   |  |  |
| OTHER  | STANDA  | ARD ABBREVIATIONS                  |   |  |  |  |
| NA     | Not Av  | ailable                            |   |  |  |  |
| NR     | No Results  |                                    |   |  |  |  |
| NE     | Not Estabilished  |                                    |   |  |  |  |
| ND     | Not Determinated  |                                    |   |  |  |  |
| ML     | Maximum Limit   |                                    |   |  |  |  |
| TOXICO | LOGICA  | L INFORMATION                      |   |  |  |  |
| LD 50  | Lethal dose (liquid) which kills 50% of exposed animals       |                                    |   |  |  |  |
| LC 50  | Lethal concentration (gas) which kills 50% of exposed animals |                                    |   |  |  |  |
| ppm    | Concentration expressed in parts per million                  |                                    |   |  |  |  |
| Tdlo   | Lowest  | dose to cause a symptom            |   |  |  |  |
| Tclo   | Lowest  | concentration to cause a symptom   |   |  |  |  |





